

Note to readers with disabilities: *EHP* strives to ensure that all journal content is accessible to all readers. However, some figures and Supplemental Material published in *EHP* articles may not conform to [508 standards](#) due to the complexity of the information being presented. If you need assistance accessing journal content, please contact ehp508@niehs.nih.gov. Our staff will work with you to assess and meet your accessibility needs within 3 working days.

Supplemental Material

Telomere Length, Long-Term Black Carbon Exposure, and Cognitive Function in a Cohort of Older Men: The VA Normative Aging Study

Elena Colicino, Ander Wilson, Maria Chiara Frisardi, Diddier Prada, Melinda C. Power, Mirjam Hoxha, Laura Dioni, Avron Spiro III, Pantel S. Vokonas, Marc G. Weisskopf, Joel D. Schwartz, and Andrea A. Baccarelli

Table of Contents

Table S1. Eligible and non-eligible participants in NAS data between 1999 and 2007.

Table S2. Correlation coefficients between 1-Year BC exposure levels and BC exposure levels with different time windows.

Table S3. Demographic characteristics of NAS participants at first cognitive assessment on or after January 1, 1999. Mini-Mental State Examination (MMSE) scores, black carbon (BC) levels, telomere length (TL), and C-reactive protein (CRP) levels were reported.

Table S4. Distribution of NAS participants at the time of cognitive assessments by age in regards to Mini-Mental State Examination (MMSE) scores, black carbon (BC) levels, telomere length (TL), and C-reactive protein (CRP) levels.

Table S5. Relative Odds of low Mini-Mental State Examination (MMSE) score (≤ 25)^a associated with C-reactive Protein (CRP) in quintiles.

Table S6. Sensitivity analysis. Relative odds of low Mini-Mental State Examination (MMSE) score (≤ 25)^a associated with black carbon (BC) levels^b, by quintiles of telomere length (TL). MMSE outliers and CRP levels greater than 10 mg/L were excluded.

Table S7. Sensitivity analysis. Relative odds of low Mini-Mental State Examination (MMSE) score (≤ 25)^a associated with black carbon (BC) levels^b, by quintiles of telomere length (TL) and age. MMSE outliers and CRP levels greater than 10 mg/L were excluded.

Table S8. Sensitivity analysis. Relative odds of low Mini-Mental State Examination (MMSE) score (≤ 25)^a associated with black carbon (BC) levels^b, by quintiles of telomere length (TL) and C-reactive protein (CRP). MMSE outliers and CRP levels greater than 10 mg/L were excluded.

Table S9. Sensitivity analysis. Relative odds of low Mini-Mental State Examination (MMSE) score (≤ 25)^a associated with black carbon (BC) levels^b, by quintiles of telomere length (TL). Not adjusting for hypertension, diabetes and coronary heart disease.

Table S10. Sensitivity analysis. Relative odds of low Mini-Mental State Examination (MMSE) score (≤ 25)^a associated with black carbon (BC) levels^b, by quintiles of telomere length (TL) and age. Not adjusting for hypertension, diabetes and coronary heart disease.

Table S11. Sensitivity analysis. Relative odds of low Mini-Mental State Examination (MMSE) score (≤ 25)^a associated with black carbon (BC) levels^b, by quintiles of telomere length (TL) and C-reactive protein (CRP). Not adjusting for hypertension, diabetes and coronary heart disease.